# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Clearglide

of the mixture

Registration number

Synonyms None.

**Product code** 31-381 / 31-385 / 31-388 / 31-2143

Issue date 14-June-2019

Version number 01
Revision date Supersedes date -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Wire/Cable Pulling Lubricant.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier IDEAL INDUSTRIES Limited

Unit 3, Europa Court

Europa Boulevard, Warrington

Cheshire, WA5 7TN United Kingdom +44 (0)1925 444446

Telephone number +44 (0)1925 444446 e-mail +44 (0)1925 444446 reach@idealnwd.com

1.4. Emergency telephone

number

In England and Wales (NHS Direct): 0845 4647

In Scotland (NHS 24): 08454 242424

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information None

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

Clearglide SDS UK

#### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Treat symptomatically.

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention

and special treatment needed

**SECTION 5: Firefighting measures** 

General fire hazards The product is not flammable.

5.1. Extinguishing media

Suitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

**SECTION 6: Accidental release measures** 

6.1. Personal precautions, protective equipment and emergency procedures

None.

For non-emergency

personnel

Keep unnecessary personnel away. Avoid prolonged and repeated contact.

For emergency responders

Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. In case of spills, beware of slippery floors and surfaces. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

**SECTION 7: Handling and storage** 

7.1. Precautions for safe

handling

Avoid prolonged exposure. Avoid contact with skin and eyes. Be aware of potential for surfaces to become slippery. Ensure adequate ventilation. Wear personal protective equipment. Observe

good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Protect from freezing. Store at temperatures between 4°C and

82°C. Store away from incompatible materials (see section 10 of the SDS).

Wire/Cable Pulling Lubricant. 7.3. Specific end use(s)

**SECTION 8: Exposure controls/personal protection** 

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Follow standard monitoring procedures. Recommended monitoring

procedures

SDS UK Clearglide

949154 Version #: 01 Revision date: -Issue date: 14-June-2019 Derived no effect levels

(DNELs)

Predicted no effect concentrations (PNECs)

8.2. Exposure controls Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Not available

Not available.

Personal protection equipment should be chosen according to the CEN standards and in **General information** 

discussion with the supplier of the personal protective equipment.

Eye/face protection Not normally needed. If risk of splashing, wear safety goggles or face shield.

Skin protection

Not normally needed. Protective gloves should be used if there is a risk of direct contact or splash. - Hand protection

Neoprene gloves are recommended.

- Other No skin protection is ordinarily required under normal conditions of use. In accordance with good

industrial hygiene practices, precautions should be taken to avoid skin contact.

Respiratory protection No personal respiratory protective equipment normally required. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

**Physical state** Liquid. Form Gel Colour Clear Slight odor. Odour **Odour threshold** Not available.

7 - 8

Melting point/freezing point Not available. 100 °C (212 °F) Initial boiling point and boiling

range

None Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Vapour pressure Vapour density Not available.

Relative density 1.09

Solubility(ies) Soluble in water. **Partition coefficient** Not available.

(n-octanol/water)

Not available.

**Auto-ignition temperature Decomposition temperature** Not available. 25300 - 40300 cps **Viscosity Explosive properties** Not explosive. Oxidising properties Not oxidising.

Clearglide SDS UK

949154 Version #: 01 Revision date: -Issue date: 14-June-2019 9.2. Other information

Percent volatile < 98 % VOC 17.4 q/l

## SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Strong heating. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents. Nitrites.

10.6. Hazardous decomposition products Nitrogen oxides. Carbon monoxide. Carbon dioxide. Silicone.

# **SECTION 11: Toxicological information**

Occupational exposure to the substance or mixture may cause adverse effects. **General information** 

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged skin contact may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

#### 11.1. Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity single exposure

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Mixture versus substance

information

No information available.

Other information No other specific acute or chronic health impact noted.

## **SECTION 12: Ecological information**

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient n-octanol/water (log Kow) Not available

**Bioconcentration factor (BCF)** Not available.

12.4. Mobility in soil The product is soluble in water.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Clearglide SDS UK

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Residual waste**Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Special precautions**Dispose in accordance with all applicable regulations.

### **SECTION 14: Transport information**

#### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk

Not established.

according to Annex II of MARPOL 73/78 and the IBC

Code

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

## **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Clearglide SDS UK

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations

PBT: Persistent, bioaccumulative, toxic. vPvB: very Persistent, very Bioaccumulative.

**References** ECHA: European Chemical Agency.

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

None.

Sections 2 to 15
Training information

Follow training instructions when handling this material.

**Disclaimer** 

IDEAL INDUSTRIES cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Clearglide SDS UK

949154 Version #: 01 Revision date: - Issue date: 14-June-2019